




FIG. 1




**FIG.2**




**FIG. 3**




**FIG.4**




**FIG.5**




**FIG.6**




**FIG. 7**



**FIG. 8**



**FIG. 9**



**FIG.10**

*450;message*

↓

<i>identifier</i>
<i>information about internal state</i>

**FIG.11**

*430;first associative table*

↓

<i>portable device identifier</i>	<i>identifier list</i>
⋮	⋮

**FIG.12**

*440;second associative table*

↓

<i>identifier</i>	<i>information about internal state, information about place of program code</i>
⋮	⋮

FIG.13







FIG. 14




**FIG.15**

470;standby list

<i>identifier</i>	<i>character string that characterizes mobile agent</i>
⋮	⋮

**FIG.16**



**FIG.17**




FIG. 18





FIG. 19

460 movement number managing data

identifier	movement number
...	...

FIG. 20



**FIG.21**

420b;program description file


<i>program-related information</i>
<i>identifier</i>
<i>information about location of archive</i>
<i>portable device identifier</i>
<i>movement number</i>

**FIG.22**


450b;message

<i>identifier</i>
<i>information about internal states</i>
<i>movement number</i>


**FIG.23**



**FIG.24 (PRIOR ART)**



**FIG.25 (PRIOR ART)**



**FIG.26 (PRIOR ART)**

